

固定資産評価基準 別表第15 耐用年数に応ずる減価率表

| 耐用年数 | 減価率    | 耐用年数 | 減価率    | 耐用年数 | 減価率    |
|------|--------|------|--------|------|--------|
| 2    | 0.6840 | 35   | 0.0640 | 68   | 0.0330 |
| 3    | 0.5360 | 36   | 0.0620 | 69   | 0.0330 |
| 4    | 0.4380 | 37   | 0.0600 | 70   | 0.0320 |
| 5    | 0.3690 | 38   | 0.0590 | 71   | 0.0320 |
| 6    | 0.3190 | 39   | 0.0570 | 72   | 0.0320 |
| 7    | 0.2800 | 40   | 0.0560 | 73   | 0.0310 |
| 8    | 0.2500 | 41   | 0.0550 | 74   | 0.0310 |
| 9    | 0.2260 | 42   | 0.0530 | 75   | 0.0300 |
| 10   | 0.2060 | 43   | 0.0520 | 76   | 0.0300 |
| 11   | 0.1890 | 44   | 0.0510 | 77   | 0.0300 |
| 12   | 0.1750 | 45   | 0.0500 | 78   | 0.0290 |
| 13   | 0.1620 | 46   | 0.0490 | 79   | 0.0290 |
| 14   | 0.1520 | 47   | 0.0480 | 80   | 0.0280 |
| 15   | 0.1420 | 48   | 0.0470 | 81   | 0.0280 |
| 16   | 0.1340 | 49   | 0.0460 | 82   | 0.0280 |
| 17   | 0.1270 | 50   | 0.0450 | 83   | 0.0270 |
| 18   | 0.1200 | 51   | 0.0440 | 84   | 0.0270 |
| 19   | 0.1140 | 52   | 0.0430 | 85   | 0.0260 |
| 20   | 0.1090 | 53   | 0.0430 | 86   | 0.0260 |
| 21   | 0.1040 | 54   | 0.0420 | 87   | 0.0260 |
| 22   | 0.0990 | 55   | 0.0410 | 88   | 0.0260 |
| 23   | 0.0950 | 56   | 0.0400 | 89   | 0.0260 |
| 24   | 0.0920 | 57   | 0.0400 | 90   | 0.0250 |
| 25   | 0.0880 | 58   | 0.0390 | 91   | 0.0250 |
| 26   | 0.0850 | 59   | 0.0380 | 92   | 0.0250 |
| 27   | 0.0820 | 60   | 0.0380 | 93   | 0.0250 |
| 28   | 0.0790 | 61   | 0.0370 | 94   | 0.0240 |
| 29   | 0.0760 | 62   | 0.0360 | 95   | 0.0240 |
| 30   | 0.0740 | 63   | 0.0360 | 96   | 0.0240 |
| 31   | 0.0720 | 64   | 0.0350 | 97   | 0.0230 |
| 32   | 0.0690 | 65   | 0.0350 | 98   | 0.0230 |
| 33   | 0.0670 | 66   | 0.0340 | 99   | 0.0230 |
| 34   | 0.0660 | 67   | 0.0340 | 100  | 0.0230 |